



United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 26 Feb 2021
Expiration Date: 26 Feb 2026

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
RCT 15	1079022			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
NEW ORLEANS, LA	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
JEFFERSONVILLE INDIANA	13Jul1999	20May1999	R-716	R-716		R-195.0
			I-	I-		I-0

Owner	Operator
RIVER CITY TOWING SERVICE INC 26194 LA HWY 16PO BOX 1300 DENHAM SPRINGS, LA 70727 UNITED STATES	

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	


In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds plus Limited Coastwise---

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR Table 31.10-21(b); if this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals and the cognizant OCMI notified in writing as soon as this change in status occurs.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Nashville, TN, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Ohio Valley certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by:  13:46:13 -04'00' J.B. WHEELER CDR, USCG, By Direction Officer in Charge, Marine Inspection Sector Ohio Valley Inspection Zone
Date	Zone	A/P/R	Signature	



Certificate of Inspection

Vessel Name RCT 15

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31May2029	15May2019	18May2009
Internal Structure	31May2024	16May2019	08May2014

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
10667	Barrels	A	Yes	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 C/L	595	13.600
2 C/L	607	13.600
3 C/L	607	13.600

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	1495	9ft 3in	13.6	RIVERS,LAKES,BAYS AND SOUNDS
III	1723	10ft 4in	13.6	RIVERS,LAKES,BAYS AND SOUNDS

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN99004006, dated 03-MAY-01, and Grade "A" and lower cargoes may be carried.

Oil Prohibition - No Vessel Response Plan

This vessel is prohibited from carrying those cargoes that are considered an "oil" for the purposes of the Federal Water Pollution Control Act as amended by the Oil Pollution Act of 1990 which requires a vessel response plan in accordance with 33 CFR 155 subpart D.

This vessel's vapor control system has been inspected to the plans approved by the Marine Safety Center letter serial ##C2-9905098 dated 02-SEP-99, and found acceptable for the collection of cargo vapors from those specific subchapter "D" cargoes contained in those letter, and those specified hazardous cargoes annotated with either "V" or "T" in the CAA.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.2009. A high level and overfill alarm required by 46 CFR 39.2001(m) must be used as primary overfill protection.

When the vessel is carrying cargoes containing greater than 0.5% Benzene, the person in charge is responsible for ensuring the provisions of 46 US Code of Federal Regulations Part 197, Subpart C are applied.

--- Inspection Status ---



Certificate of Inspection

Vessel Name: RCT 15

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
1 C/L	18May2009	23Aug2019	31Aug2029	-	-	-
2 C/L	18May2009	25Aug2019	31Aug2029	-	-	-
3 C/L	18May2009	25Aug2019	31Aug2029	-	-	-

Tank Id	Safety Valves	Hydro Test		
		Previous	Last	Next
1 C/L	-	-	-	-
2 C/L	-	-	-	-
3 C/L	-	-	-	-

---Lifesaving Equipment---

Total Equipment for 0 Persons

Primary Lifesaving Equipment	Quantity	Capacity		Required
Lifeboats (Total)	0	0	Life Preservers (Adult)	0
Lifeboats (Port)	0	0	Life Preservers (Child)	0
Lifeboats (Starboard)	0	0	Ring Buoys (Total)	0
Motor Lifeboats	0	0	With Lights	0
Lifeboats With Radio	0	0	With Line Attached	0
Rescue Boats/Platforms	0	0	Other	0
Inflatable Rafts	0	0	Immersion Suits	0
Life Floats/Buoyant App	0	0	Portable Lifeboat Radios	0
Inflatable Buoyant Apparatus (IBA)	0	0	Equipped With EPIRB?	NO

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Number of Fireman Outfits - 0

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
2	40-B

END